

products > Operating & service fluids > Coolant fluids > FANFARO Coolant G12+



FANFARO COOLANT G12+ 4212

A carboxylated (organic - OAT Organic Acid Technology) ready-for-use solution, designed for a year-round use in any modern cooling systems for which the use of ethylene-glycol-based antifreeze is recommended. It ensures a reliable protection of any cooling system.

Product properties:

- It ensures a reliable protection of metals and alloys (brass, copper, alloy-treated steel, cast iron, aluminium) from all forms of corrosion, as well as prevents a high-temperature corrosion of aluminium surfaces of modern engines;
- It has an exceptional thermal stability. It protects from deposit formation;
- It has excellent heat conductivity properties and a resistance to foam formation;
- It is neutral to inserts and hoses, compatible with all types of rubber and plastic components of a cooling system;
- It has an excellent resistance to hard water and very low corrosion inhibitor depletion rates;
- The highly effective carboxylated additive package (OAT) ensures an exceptional stability of service qualities of the antifreeze throughout the entire service life;
- It does not contain silicates, nitrates, phosphates and amines (the NAP free technology);
- It has an extended service life in cooling systems: of passenger cars - up to 250 thousand km; of commercial vehicles - up to 500 thousand km; of stationary engines - up to 6 years.

It is recommended for engines requiring enhanced heat dissipation: highly accelerated engines, engines with a turbocharger and cooling systems of modern commercial vehicles.

Colour: red.

Service life: no less than 5 years.

Comply with the manufacturer's instructions provided in the user's manual!

CORRESPONDS WITH REQUIREMENTS / SPECIFICATIONS / PRODUCTS:

Specifications:

Approval:

Recommendation:

SAE J1034
AFNOR FRANCE NF R15-601 (except for RA)
ASTM USA D3306
ASTM USA D4656
ASTM USA D4985
ASTM USA D6210
FVV GERMANY Heft R443
KSM SOUTH KOREA 2142
MIL BELGIUM BT-PS-606-A
MIL FRANCE DCSEA 615/C
MIL ITALY E/L-1415b
MIL SWEDEN FSD 8704
NATO S-759
OENORM AUSTRIA V5123
UNE SPAIN 26-361-88/1
VOLKSWAGEN TL 774 D
VOLKSWAGEN TL 774 F
BERGEN ENGINES 2.13.01
BMW GS 94000
BRB BR 637
CASE NEW HOLLAND MAT 3624
CATERPILLAR MAK A4.05.09.01
CUMMINS CES 14439
CUMMINS CES 14603
CUMMINS IS series N14
DACIA 41-01-001
DACIA 41-01-001-T
DAF 74002
DETROIT DIESEL 93K217
FORD WSS-M97B44-D
JAGUAR CMR 8229
JAGUAR STJLR.651.5003
JENBACHER TA 1000-0201
JOHN DEERE JDM H5
KOMATSU 07.892 (2009)
LAND ROVER STJLR.651.5003
LEYLAND TRUCKS DW03245403
LIEBHERR MD1-36-130
MACK 014 GS 17009
MAN 324 SNF
MAN B W DIESEL AG D36 5600
MAZDA MEZ MN 121 D
MB 325.3
MINI GS 94000
MTU MTL 5048
MWM 0199-99-2091/11
BSI GB BS 6580:2010

JASO M325
MITSUBISHI MHI

PACKAGES (ARTICLE NUMBER):

5L (FF4212-5)

1L (FF4212-1)